

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



Horizontal pneumatic actuator

Functional application

The horizontal pneumatic actuator is an actuator that rotates the angular travel of the output shaft. It can be mounted to various rotary opening and closing valves such as butterfly valves and ball valves. Horizontal actuators can be configured with a variety of functional options:

- 1) Basic actuator
- 2) Actuator + intelligent control unit
- 3) Actuator + position feedback
- 4) Actuator + Smart Locator
- 5) Actuator + position sensor

Technical specifications

Bore size specification: 20mm - 400mm

Torque (N.M): 5.NM to 2000 N.M

Rotation angle: 90° (standard) 180° (selection) 120° (selection)

Piston structure: rack (standard) fork (selection)

Stroke adjustment: The piston has an adjustable range of $\pm 4^\circ$ at both ends

Air source pressure: maximum -8bar, minimum -2Bar

Standard temperature: $-20^\circ\text{C} \sim +80^\circ\text{C}$

Low temperature type: $-40^\circ\text{C} \sim +80^\circ\text{C}$

High temperature type: $-15^\circ\text{C} \sim +150^\circ\text{C}$

Material: aluminum alloy, stainless steel

Color: natural, white, blue, red, can also be configured according to customer requirements

Installation standard: ISO 5211, suitable for indoor or outdoor installation



Vertical pneumatic actuator

Function and application

Stainless steel vertical pneumatic actuators are mainly used in various angular stroke valves such as butterfly valves and ball valves. Various automatic control functions such as valve position feedback, valve control unit, process controller, valve intelligent positioner, etc. it can also be configured. Especially for industries with high environmental requirements such as food processing, beverages, juice, beer, pharmaceuticals and other industrial fields.

Design and features

Cylinder specifications: $\Phi 70, 85, 114, 133, 168$

Air source pressure: 4-7bar

Working temperature: $-10^{\circ}\text{C} - 80^{\circ}\text{C}$

Square core with valve: 8*8, 9*9, 10*10, 11*11, 14*14mm, also available in custom sizes

Working temperature: $-10^{\circ}\text{C} - 80^{\circ}\text{C}$

Output torque:

$\Phi 70$ single action = 22 N.M; double action: 45 N.M;

$\Phi 85$ single action = 35 N.M; double action: 60 N.M;

$\Phi 114$ single action = 80N.M; double action: 110 N.M;

$\Phi 133$ single action = 143N.M; double action: 180N.M;

$\Phi 168$ double action = 248N.M

Configuration: valve position feedback device, valve intelligent positioner, valve intelligent control unit, valve position sensor

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	